8600122

TO ALL TO WHOM THESE; PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

Colhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-LUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT. IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9581'

In Testimony Manereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. 27th day of February the year of our Lord one thousand nine hundred and eighty-seven.

U.S. DEPARTMEN	NT OF AGRICULT	URE				MB NO. 0581-0055	
AGRICULTURAL				Applic	ation is required i	in order to determine	
450. 16 1 TIGHT 50 D DI 1 NT 1/10		0710N 0	**************************************	be issu	ued (7 U.S.C. 24)	ction certificate is to 21). Information is	
APPLICATION FOR PLANT VAR	RIETY PROTE ons on reverse)	CTION C	ERTIFICATE	held (confidential until S.C. 2426J.	certificate is issued	
1. NAME OF APPLICANT(S)		2 TEMPO	RARY DESIGNATION	3. V	ARIETYNAME		
Pioneer Hi-Bred Internation	al, Inc.			2	9581		
4. ADDRESS (Street and No. or R.F.D. No., City, S	tate, and Zip Code	5. PHONE	(Include area code)		FOR OFFICIAL	USE ONLY	
700 Capital Square	•			PVPC	NUMBER		
400 Locust Street		319-2	34-0335		860	0122	
Des Moines, IA 50309	7. FAMILY NA	ME (Botanio	al)	1	DATE	anl	
				FILING	1/24/6	,_1986	
Glycine Max	Legumin	osae	osae		9:00 I	A.M. DPM	
8. KIND NAME			DETERMINATION		AMOUNT FOR	FILING	
	C	ctober,	1979	,B	s / 800.		
Soybean	· ·	lanuary,	1979 1985 (Increa	SP /≧	May 16	. 1986	
10 IF THE APPLICANT NAMED IS NOT A "PERS	SON." GIVE FORM	1 OF ORGAI	NIZATION (Corporation	H. H.	AMOUNT FOR	CERTIFICATE	
partnership, association, etc.)	·			EES	s 200.	<u>-</u>	
Corporation				Ξ.	DATE	16 1981	
11. IF INCORPORATED, GIVE STATE OF INCOR	PORATION			12. 1	DATE OF INCOM	PORATION	
Iowa					1926		
13. NAME AND ADDRESS OF APPLICANT REPE	ESENTATIVE(S),	IF ANY, TO	SERVE IN THIS APPL	CATIO	N AND RECEIVE	E ALL PAPERS	
Clark W. Jennings 3261 West Airline Highway			Mary Helen Mit				
Waterloo, IA 50703			Des Moines, I <i>A</i>		uare - 400 Locust Street 50309		
440011003 IN 00700	•	•	PHONE (Include a			e sa company	
14 CHECK APPROPRIATE BOX FOR EACH ATT							
a. 🗵 Exhibit A, Origin and Breeding History	of the Variety (Se	e Section 52	of the Plant Variety P	otectio	n Act.)	• •	
b. 🛛 Exhibit B. Novelty Statement.	_			٠ ،			
c. X Exhibit C, Objective Description of Var		n from Plant	Variety Protection Of	ice:)			
d. Exhibit D. Additional Description of V e. X Exhibit E. Statement of the Basis of Ap		in					
15. DOES THE APPLICANT(S) SPECIFY THAT SE	EED OF THIS VAF	HETY BE SO	LD BY VARIETY NAM	AE ONL	Y AS A CLASS C	OF CERTIFIED	
SEED? (See Section 83(a) of the Plant Variety	Protection Act.)		Yes (If "Yes," answe	r items	16 and 17 below)	K No	
16. DOES THE APPLICANT(S) SPECIFY THAT T LIMITED AS TO NUMBER OF GENERATION		17.	F "YES" TO ITEM 16, BEYOND BREEDER SE	WHICH	I CLASSES OF PE	RODUCTION	
Yes X No			Foundation	<u> </u>	legistered	Certified	
18. DID THE APPLICANT(S) PREVIOUSLY FIL	E FOR PROTECT	TION OF TH	IE VARIETY IN THE	U.S.?	┌┐ Yes	(If "Yes," give date)	
<u>.</u>					ب		
					X No		
19 HAS THE VARIETY BEEN RELEASED, OFF	ERED FOR SALE	OR MARI	ETED IN THE U.S. O	ROTH	ER COUNTRIES	6 ? s (If "Yes," give name	
					L of a	countries and dates)	
					X No		
20. The applicant(s) declare(s) that a viable sail plenished upon request in accordance with	mple of basic see	ds of this v	ariety will be furnishe applicable.	d with	the application	and will be re-	
The undersigned applicant(s) is (are) the o distinct, uniform, and stable as required in Variety Protection Act.	wner(s) of this se	vually repr	oduced novel plant v	ariety, he pro	and believe(s) t visions of Section	that the variety is on 42 of the Plant	
Applicant(s) is (are) informed that false re	presentation here	ein can jeop	ardize protection and	i result	in penalties.		
SIGNATURE OF APPLICANT				1	DATE		
Clark Henning	r·				april 3	30, 1986	
SIGNATURE OF APPLICANT					DATE		
						and the second of the	

Attachment: 9581 Soybeans (April, 1986)

Exhibit A:

9581 evolved from a cross of (Mack X Forrest) X J74-90.

J74-90 is a breeding line developed by Dr. E.E. Hartwig of the parentage D68-18 X PI 88.788. 9581 is an F3derived variety which was advanced to the F3 generation by pedigree selection. The F4 progeny row of 9581 was grown in Mississippi during the summer of 1979.

Subsequently, 9581 has undergone six years of extensive testing, nematode screening, and purification. This variety has been observed by the breeders to be uniform and stable for all plant traits from generation to generation with no evidence of variants.

3.0 acres of 9581 (breeder's seed) were grown in Tennessee during 1984. 55 acres of parent seedstock (foundation seed equivalent) were grown in Missouri during 1985.

Exhibit B: 9581 is most similar to variety 9571. However, 9581 is significantly shorter than 9571 by more than 2 inches (see Table 1). Also, 9581 has a tan pod wall color, whereas 9571 has a brown pod wall color.

Exhibit E: Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of the '9581' variety of soybeans for which it solicits a certificate of protection.

Table 1. Paired Comparison (Height in Inches) 1982-1985

			•	
YR/EXP/LOC#	9571(X ₁)	9581(X ₂)	(x ₁ -x ₂)	$(x_1-x_2)^2$
82/UNA50/77	34.0	30.0	4.0	16.00
82/GRA50/78	35.0	31.0	4.0	16.00
82/GRA50/80	33.0	30.5	2.5	6.25
82/GRA50/82	37.0	36.0	1.0	1.00
82/GRA50/86	33.3	30.0	3.3	10.89
82/UNA5B1/71	38.0	33.5	4.5	20.25
82/UNA5B1/77	30.0	29.5	0.5	0.25
82/GRA5B1/80	33.0	30.5	2.5	6.25
83/GRA50/78	32.0	31.0	1.0	1.00
83/GRA50/80	24.0	23.0	1.0	1.00
83/GRA50/86	30.5	27.0	3.5	12.25
84/UNA50/65	55.0	53.7	1.3	1.69
84/UNA50/67	48.0	44.0	4.0	16.00
84/UNA50/68	42.7	41.3	1.4	1.96
84/UNA50/69	46.0	43.7	2.3	5.29
84/UNA50/70	35.7	32.0	3.7	13.69
84/UNA50/71	44.0	41.3	2.7	7.29
84/GRA50/82	35.7	32.0	3.7	13.69
84/GRA50/83	36.7	34.7	2.0	4.00
84/GRA5C/90	25.3	23.3	2.0	4.00
84/GRV50/80	37.7	37.3	0.4	0.16
84/GRV50/81	34.0	30.0	4.0	16.00
85/UNA50/65	40.3	39.3	1.0	1.00
85/UNA50/70	44.7	40.7	4.0	16.00
85/UNA50/71	43.0	41.0	2.0	4.00
85/UNA50/75	39.7	35.7	4.0	16.00
85/GRA50/78	25.0	21.0	4.0	16.00
85/GRA50/81	27.3	25.0	2.3	5.29
85/GRA50/82	42.0	37.5	4.5	20.25
85/SEA50/95	39.0	38.0	1.0	1.00
85/SEA50/96	42.0	40.0	2.0	4.00
85/MLA50/25	38.3	35.3	3.0	9.00 5.76
85/UNA6E/75	38.7	36.3	2.4	5.76

Table 1. (Continued)

9571(X ₁)	9581(X ₂)	(x_1-x_2)	$(x_1-x_2)^2$
41.7	38.3	3.4	11.56
24.3	23.2	1.0	1.00
26.0	23.0	3.0	9.00
26.0	22.0	4.0	16.00
42.0	40.0	2.0	4.00
36.5	33.5	3.0	9.00
35.3	33.7	1.6	2.56
39.0	38.3	0.7	0.49
43.3	40.3	3.0	9.00
38.0	36.0	2.0	4.00
1,572.7	1,463.5	109.2	339.8
e e			
36.5	34.0	2.5	
	41.7 24.3 26.0 26.0 42.0 36.5 35.3 39.0 43.3 38.0	41.7 38.3 24.3 23.2 26.0 23.0 26.0 22.0 42.0 40.0 36.5 33.5 35.3 33.7 39.0 38.3 43.3 40.3 38.0 36.0	41.7 38.3 3.4 24.3 23.2 1.0 26.0 23.0 3.0 26.0 22.0 4.0 42.0 40.0 2.0 36.5 33.5 3.0 35.3 33.7 1.6 39.0 38.3 0.7 43.3 40.3 3.0 38.0 36.0 2.0 1,572.7 1,463.5 109.2

n = 43

$$\frac{s}{d} = \sqrt{\frac{339.8 - [(109.2)^2/43]}{43(42)}} = 0.186$$

$$\frac{d}{d} = \frac{d}{d} = \frac{2.5}{0.186} = 13.44 ** for 42 df$$

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max L.)

	NATION VARIETY NAME
MAINE OF ALL ENGINE (IO)	
	9581
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) 700 Capital Square 400 Locust Street Des Moines, IA 50309	PVPO NUMBER 8600122
Choose the appropriate response which characterizes the variety in the features of in your answer is fewer than the number of boxes provided, place a zero in the fi	lescribed below. When the number of significant digits irst box when number is 9 or less (e.g., 0 9).
2. SEED COAT COLOR: (Mature Seed)	
1 1 = Yellow 2 = Green 3 = Brown 4 = Black	5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)	
The state of the s	
5. HILUM COLOR: (Mature Seed)	
6 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Im	perfect Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	
1 1 = Yellow 2 = Green	
7. SEED PROTEIN PEROXIDASE ACTIVITY:	
1 = Low 2 = High	
8. SEED PROTEIN ELECTROPHORETIC BAND:	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	rariety in the features described below. When the number of significant digits d, place a zero in the first box when number is 9 or less (e.g., O 9). T
9. HYPOCOTYL COLOR:	
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	
10. LEAFLET SHAPE:	
2 1 = Lanceolate 2 = Ovat 3 = Ovate 4 = Other (Spe	ecity)

11.	LEAF	ET SIZE:		
•	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	8600122
	.			
12.	LEAF	COLOR:		
	2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')	
13.	FLOW	ER COLOR:	:	
	1	1 = White 2 = Purple	3 = White with purple throat	
14,	POD C	OLOR:		
	1	1 = Tan 2 = Brown	3 = Black	
15.	PLANT	PUBESCENCE COLOR:		
	2	1 = Gray 2 = Brown (Tawny)		
16.	PLANT	TYPES:		
	2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
17.	PLANT	HABIT:		
	1	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Po	2 = Semi-Determinate ('Will') 'elican')	
18.	MATUR	RITY GROUP:		
0	8	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VI	4 = I 5 = II 6 = III 7 = IV II 12 = IX 13 = X	8 = V
19.	DISEAS	E REACTION: (Enter 0 = Not Tested; 1 =	Susceptible; 2 = Resistant)	
	BACT	ERIAL DISEASES:		EIII21/10
	2	Bacterial Pustule (Xanthomonas phaseoli v	var. sojensis)	RECEIVED LO
	0	Bacterial Blight (Pseudomonas glycinea)		7
	2	Wildfire (Pseudomonas tabaci)		의 MAY 5 1986 ▶ [1
1		L DISEASES:	and the second s	Plant Variety
	0	Brown Spot (Septoria glycines)		Protection Ofc
-		Frogeye Leaf Spot (Cercospora sojina)		MAIL
		Race 1 0 Race 2 0 R	lace 3 0 Race 4 0 Race 5	her (Specify)
-	0	Target Spot (Corynespora cassiicola)		
		Downy Mildew (Peronospora trifoliorum va	ar. <i>manshurica)</i>	
	쁜.	Downy Mildew (Peronospora trifoliorum vo Powdery Mildew (Microsphaera diffusa)	ar. <i>manshurica)</i>	
		· · · · · · · · · · · · · · · · · · ·		

19. DISEASE REA	CTION: (Enter 0 = Not Tested; 1 = Susceptible; 2	! = Resistant) (Continued)		* \$
FUNGAL DI	SEASES: (Continued)			8600122
O Pod ar	nd Stem Blight <i>(Diaporthe phaseolorum</i> var; sojae)			
0 Purple	Seed Stain (Cercospora kikuchii)			
0 Rhizo	ctonia Root Rot (Rhizoctonia solani)		•	
Phytop	ohthora Rot (Phytophthora megasperma var. sojae)	•	
1 Race 1	O Race 2 O Race 3	Race 4 0 Race 5	0 Race 6	Race 7
0 Race 8	O Race 9 Other (Specify)			
VIRAL DISE	ASES:			
0 Bud BI	ight (Tobacco Ringspot Virus)			
0 Yellow	Mosaic (Bean Yellow Mosaic Virus)			
0 Cowpe	a Mosaic (Cowpea Chlorotic Virus)			•
0 Pod Mo	ottle (Bean Pod Mottle Virus)			
	ottle (Soybean Mosaic Virus)			
NEMATODE				
	•			
	Cyst Nematode (Heterodera glycines)			
O Race 1	U Race 2 2 Race 3	Z Race 4 Other (Specify)	
	lematode (Hoplolaimus Colombus)			
1 Souther	n Root Knot Nematode (Meloidogyne incognita)			
0 Norther	n Root Knot Nematode (Meloidogyne Hapla)			-
1 Peanut F	Root Knot Nematode (Meloidogyne arenaria)			
0 Reniforr	n Nematode (Rotylenchulus reniformis)			
OTHER	DISEASE NOT ON FORM (Specify):		·	
	L RESPONSES: (Enter 0 = Not Tested; 1 = Susce	ptible; 2 = Resistant)	· · · · · · · ·	
0 Iron Chic	prosis on Calcareous Soil			•
Other (S)	pecify)			
1. INSECT REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2 = I	Resistant)		
0 Mexican	Bean Beetle (Epilachna varivestis)			·
O Potato Le	eaf Hopper (Empoasca fabae)			
Other (Sp	ecify)			
Z INDICATE WHICH	VARIETY MOST CLOSELY RESEMBLES TH	AT SURMITTED		
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF V	ARIETY
Plant Shape	9571	Seed Coat Luster	Forrest	
Leaf Shape	9571	Seed Size	9571	· · · · · · · · · · · · · · · · · · ·
Leaf Color	9571	Seed Shape	9571	
Leaf Size	9571	Seedling Pigmentation	Forrest	· · · · · · · · · · · · · · · · · · ·
				7

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT LODGING MATURITY SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/	
		SCORE F	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9581 Submitted	137	2.1	86					13.7	,
9571 Name of Similar Variety	137	2.3	93					13.7	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

